BEST AVAILABLE COP

PATENT COOPERATION TREATY

PCT

REC'D	1 '	OCT	2005
WIPO			PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 15782-3PCT PTN/df		FOR FURTHER ACTION		ee Form PCT/IPEA/416			
International application No. PCT/CA2004/000970		International filing date (day/month/year) 30.06.2004		Priority date <i>(day/month/year)</i> 04.07.2003			
Internati G09F1	ional Patent Classification (IPC) or r 11/12	national classification and IPC					
Applicar SIRON	nt NA INC. et al.						
1. T	 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 						
2. T							
	his report is also accompanied t						
a.	. 🖾 sent to the applicant and t	o the International Bureau) a	total of 4 sheets, as	s follows:			
	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.						
b.	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
4. TI	his report contains indications re	elating to the following items:					
×	Box No. I Basis of the opi	inion					
	_						
×	Box No. III Non-establishm	nent of opinion with regard to	novelty, inventive sta	n and industrial andias bills.			
	Box No. IV Lack of unity of	invention	marany, mranara ata	p and industrial applicability			
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement							
	. Sox 110. VI Certain docume	== == == == == == = = = = = = = = = =					
	Contain delects	in the international application	n				
. L	Box No. VIII Certain observa	ations on the international app	olication				
Date of s	submission of the demand	Date	e of completion of this re	port			
04.05.2	2005		10.2005	,			
Name ar	nd mailing address of the Internation	nal Auth	orized Officer				
<u>g</u>	European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 5236 Fax: +49 89 2399 - 4465	Pav	rlov, V phone No. +49 89 2399	-6067			

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/CA2004/000970

_	Box No. I Basis of	the report				
1.	With regard to the lar	adulade this report is bened as the same				
	 With regard to the language, this report is based on the international application in the language in which filed, unless otherwise indicated under this item. 					
		sed on translations from the original language into the following language , uage of a translation furnished for the purposes of:				
☐ international search (under Rules 12.3 and 23.1(b)) ☐ publication of the international application (under Rule 12.4) ☐ international preliminary examination (under Rules 55.2 and/or 55.3)						
 With regard to the elements* of the international application, this report is based on (replacement s have been furnished to the receiving Office in response to an invitation under Article 14 are referred report as "originally filed" and are not annexed to this report): 						
	Description, Pages					
	1-14	as originally filed				
	Claims, Numbers					
	1-18	filed with telefax on 10.08.2005				
	Drawings, Sheets					
	1/5-5/5	as originally filed				
		g and/or any related table(s) - see Supplemental Box Relating to Sequence Listing				
3.	amonuments	have resulted in the cancellation of:				
	the description the claims, No	s.				
☐ the drawings, sheets/figs ☐ the sequence listing (specify):						
	☐ any table(s) re	elated to sequence listing (specify):				
4.	had not been made, s Supplemental Box (Ru	een established as if (some of) the amendments annexed to this report and listed below ince they have been considered to go beyond the disclosure as filed, as indicated in the				
	☐ the description ☐ the claims, No ☐ the drawings, ☐ the sequence	n, pages s. sheets/figs				
		lies, some or all of these sheets may be marked "superseded."				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/CA2004/000970

_	Box	K No. III Non-establishment o	of on	inion with regard to novelty, inventive step and industrial	
	app	olicability	. ор		
1.	The obv	he questions whether the claimed invention appears to be novel, to involve an inventive step (to be non- bvious), or to be industrially applicable have not been examined in respect of:			
		the entire international application,			
	\boxtimes	claims Nos. 16-18			
		because:			
		the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (specify):			
	☒	the description, claims or drawings <i>(indicate particular elements below)</i> or said claims Nos. 16-18 are so unclear that no meaningful opinion could be formed <i>(specify)</i> :			
		see separate sheet			
		the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.			
		no international search report has been established for the said claims Nos.			
		the nucleotide and/or amino acid sequence listing does not comply with the standard provided for in Annex C of the Administrative Instructions in that:			
		the written form		has not been furnished	
				does not comply with the standard	
		the computer readable form		has not been furnished	
				does not comply with the standard	
		the tables related to the nucleotide and/or amino acid sequence listing, if in computer readable form not comply with the technical requirements provided for in Annex C-bis of the Administrative Instruc			
		See separate sheet for further details			

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/CA2004/000970

-	Bo	ox No. IV Lack of unity of inv	entio				
1.	Box No. IV Lack of unity of invention In response to the invitation to restrict or pay additional fees, the applicant has: restricted the claims. paid additional fees. paid additional fees under protest. neither restricted nor paid additional fees.						
2.		This Authority found that the requirement of unity of invention is not complied with and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.					
3.	This	nis Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3					
		complied with.					
	×	not complied with for the following reasons:					
		see separate sheet					
4.	Cor	nsequently, this report has beer	n estal	olished in r	respect of the following parts of the international application:		
		all parts.			Spp. Sales in		
	☒	the parts relating to claims Nos. 1-6,16-18.					
_	Box	x No. V Reasoned statement plicability; citations and expla	nt und	er Article ns suppor	e 35(2) with regard to novelty, inventive step or industrial orting such statement		
1.		atement					
	Nov	veity (N)	Yes: No:	Claims Claims	1-6		
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-6		
	Indu	ustrial applicability (IA)	Yes: No:	Claims Claims	1-6		
2.	Cita	Citations and explanations (Rule 70.7):					
	see	e separate sheet					
_	Вох	x No. VII Certain defects in	the int	ernationa	al application		
Th	e fol	llowing defects in the form or co	ontents	of the inte	ternational application have been noted:		

see separate sheet

Re Item III

- 1. The device claim 16 relates to a connector for connecting a sheet to a drive of a display apparatus. Actually the claim repeats some of the features of claim 1. In principle undue repetition of wording between one claim and another should be avoided by the use of the dependent form. Moreover, in order to meet the requirements of Article 6 PCT taken in combination with Rule 13.1 PCT claim 16 should refer to the display apparatus according to claim 1.
- 2. Claim 17 relates to the connector of claim 16 further comprising a resilient spacer between the abutment portion and the longitudinal member and merely repeats the subject-matter of claim 3. The claim seems to be superfluous.
- 3. Claim 18 also repeats some of the features of claim 1. The claim, therefore, also seems to be superfluous.

Re Item IV

- 1. Reference is made to the following documents:
 - D1: US-A-5 678 333 (AIKEN, SR. ET AL) 21 October 1997 (1997-10-21)
 - D2: DE 44 34 310 A1 (SMA STAHL-, MASCHINEN- UND ANLAGENBAU GMBH BORKEN, 39576 STENDAL, DE) 28 March 1996 (1996-03-28)
 - D3: US-A-5 953 840 (SIMSON ET AL) 21 September 1999 (1999-09-21)
- 2. This Authority considers that there are two inventions covered by the claims indicated as follows:
- I: Claims 1-6, 16-18 directed to a display apparatus comprising at least one connector for connecting a sheet to a drive, the connector having a longitudinal member connected to the drive and an abutment portion securable against the longitudinal member wherein the edge portion of the sheet has a pleat received against an edge of the longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with the abutment portion abutting both the opposed surfaces.

II: Claims 7-15 directed to a display apparatus comprising a drive for displacing sheets in a circuit to a display position; an actuator for actuating the drive and at least one connector device for connecting opposed ends of a sheet along the drive, the connector device having a first connector securing a first edge portion of a sheet to the drive, and a second connector device having a longitudinal member secured to a second edge portion of the sheet and connected to the drive, an abutment portion securable against the longitudinal member for retaining the edge portion of the sheet therebetween, and a tensioner connecting the longitudinal member to the drive to maintain the sheet in a taut condition with a predetermined tension.

The reasons for which the inventions are not so linked as to form a single general inventive concept, as required by Rule 13.1 PCT, are as follows:

2.1 The prior art has been identified as document D1 (see fig. 2, 10-23 and corresponding description) and discloses a display apparatus (10) for sequentially displacing sheets (58) to a display position, comprising: a drive (52) for displacing sheets to a display position; an actuator (42) for actuating the drive; and at least one connector for connecting a sheet (58) to the drive (52) such that the sheet is displaceable to the display position, the connector having a longitudinal member (180) connected to the drive for supporting an edge portion of the sheet (58) (see col. 10, lines 59-62) and an abutment portion (150) securable against the longitudinal member (180) for retaining the edge portion of the sheet (58) therebetween.

It follows that the following technical features of claim 1 makes a contribution over the prior art and can be considered as special technical features within the meaning of Rule 13.2 PCT: the edge portion of the sheet has a pleat received against an edge of the longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with the abutment portion abutting both the opposed surfaces.

- 2.2 The problem solved by these special technical features can therefore be construed as to provide a display apparatus in which the display sheets can be easily changeable on site for immediate use.
- 2.3 Also, examining the possible correspondence by technical effect, one finds that the technical effect of the first invention is that a better clamping is provided by the abutment

portion due to the effect of a hook for the advertisement sheet on the longitudinal support member;

and that the technical effect of the second invention is that the ripping of the advertisement sheet in cold weather is prevented by using a tensioner.

This appears to show lack of corresponding technical effect as well. Consequently, neither the objective problem underlying the subjects of the claimed inventions, nor their solutions defined by the special technical features allow for a relationship to be established between the said inventions, which involves a single general inventive concept.

3. In conclusion, the groups of claims are not linked by common or corresponding special technical features and define two different inventions not linked by a single general inventive concept.

The application, hence does not meet the requirements of unity of invention as defined in Rules 13.1 and 13.2 PCT.

Re Item V

1. Claim 1: None of the documents cited in the International Search Report discloses a display apparatus for sequentially displacing sheets to a display position with features as recited in Claim 1.

Document D1 discloses a display apparatus for sequentially displacing sheets to a display position, comprising: a drive for displacing sheets to a display position, an connector for connecting a sheet to the drive, the connector having a longitudinal member connected to the drive for supporting an edge portion of the sheet and an abutment portion securable against the longitudinal member for retaining the edge portion of the sheet therebetween.

Document D2 discloses a fastener for posters for use in advertising display cases which has shaped strip with one or more troughs and clamp to hold poster in trough by shape mating or friction. **Document D3** discloses a banner flattening mechanism wherein attachment points of the banner are formed along a web at regular interval and a hook and loop fastener are arranged corresponding to each attachment point.

The problem to be solved by the present invention may be regarded as to provide a display apparatus in which the display sheets can be easily changeable on site for immediate use.

The solution to this problem consist in that the edge portion of the sheet has a pleat received against an edge of the longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with the abutment portion abutting both the opposed surfaces.

The advantage is in that a better clamping is provided by the abutment portion due to the effect of a hook for the advertisement sheet on the longitudinal support member.

The claimed device **involves an inventive step** since none of the cited prior art documents, either alone or in combination, disclose or fairly suggest to provide a pleat at the edge portion of a sheet wherein the pleat is received against an edge of a longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with an abutment portion abutting both the opposed surfaces.

Claim 1 meets therefore the requirements of Article 33(2), 33(3) PCT.

2. Claims 2-6 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Re Item VII

- 1. Independent claims are not in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would be appropriate, with those features known in combination from the prior art being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).
- 2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).
- 3. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1-D3 is not mentioned in the description, nor are these documents identified therein.
- 4. The description is not in conformity with the claims as required by Rule 5.1(a)(iii) PCT.
- 5. The units of measure employed on page 13, line 18 is not additionally expressed in terms of the units stipulated by Rule 10.1(a) PCT.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/CA2004/000970

* * *

CLAIMS

- 1. A display apparatus for sequentially displacing sheets to a display position, comprising:
- at least one sheet having a pleat at an edge portion thereof;
 - a drive for displacing sheets to a display position;

an actuator for actuating the drive; and
at least one connector for connecting one of
the sheets to the drive such that the sheet is
displaceable to the display position, the connector
having a longitudinal member connected to the drive such
that the pleat is received against an edge of the
longitudinal member with the sheet lying on opposed
surfaces of the longitudinal member, and an abutment
portion securable against the longitudinal member for
abutting both the opposed surfaces.

- The display apparatus according to claim 1, further comprising one other connector at an opposite
 edge portion of the sheet for connecting the opposite edge portion of the sheet to the drive.
 - 3. The display apparatus according to claim 1, further comprising a resilient spacer between the abutment portion and the longitudinal member for retaining the edge portion of the sheet between the abutment portion and the resilient spacer.
 - 4. The display apparatus according to claim 1, wherein the drive displaces the sheets in a continuous sequence.
- 30 5. The display apparatus according to claim 1, wherein the actuator has a sensor/controller for

20

detecting the sheets reaching the display position and for maintaining the sheets in the display position for predetermined amounts of time.

- 6. The display apparatus according to claim 1, wherein the sheet is a support sheet adapted to support an advertisement sheet.
 - 7. A display apparatus for sequentially displacing sheets to a display position, comprising:
- a drive for displacing sheets in a circuit to a display position;

an actuator for actuating the drive; and at least one connector device for connecting opposed ends of a sheet along the drive, the connector device having:

- (i) a first connector securing a first edge portion of a sheet to the drive; and
 - (ii) a second connector device having a longitudinal member secured to a second edge portion of the sheet and connected to the drive so as to be restrictively displaceable along the drive;
 - an abutment portion securable against the longitudinal member for retaining the edge portion of the sheet therebetween;

and a tensioner connecting the longitudinal member to the drive to maintain the sheet in a taut condition with a predetermined tension.

The display apparatus according to claim 7, 8. wherein the first connector has respective longitudinal member connected to the drive supporting the first edge portion of the sheet, and a 30 respective abutment portion securable against respective longitudinal member for retaining the edge portion of the sheet therebetween.

- 9. The display apparatus according to claim 7, further comprising a resilient spacer between the abutment portion and the longitudinal member for retaining the second edge portion of the sheet between the abutment portion and the resilient spacer.
- 10. The display apparatus according to claim 7, wherein the edge portion of the sheet has a pleat received against an edge of the longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with the abutment portion abutting both the opposed surfaces.
 - 11. The display apparatus according to claim 7, wherein the drive displaces the sheets in a continuous sequence.
- 15 12. The display apparatus according to claim 7, wherein the actuator has a sensor/controller for detecting the sheets sequentially reaching the display position and for maintaining the sheets in the display position for predetermined amounts of time.
- 20 13. The display apparatus according to claim 7, wherein the sheet is a support sheet adapted to support an advertisement sheet.
- 14. The display apparatus according to claim 7, wherein the second connector is pivotally mounted to the drive.
 - 15. The display apparatus according to claim 7, wherein the drive has a pair of belts spaced parallel from one another and each supported by a pair of pulleys.

- 16. A connector for connecting a sheet to a drive of a display apparatus for sequentially displacing sheets to a display position, comprising:
- a longitudinal member for supporting an edge portion of the sheet;

connector ends at opposed longitudinal ends of the longitudinal member for connecting the longitudinal member to the drive; and

- an abutment portion securable against the longitudinal member for retaining the edge portion of the sheet therebetween.
 - 17. The connector according to claim 16, further comprising a resilient spacer between the abutment portion and the longitudinal member for retaining the edge portion of the sheet between the abutment portion and the resilient spacer.
- 18. The connector according to claim 16, wherein the edge portion of the sheet has a pleat received against an edge of the longitudinal member such that the sheet lies on opposed surfaces of the longitudinal member, with the abutment portion abutting both the opposed surfaces.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.